

RSIC-797

SPECTROPHOTOMETRY OF LUNAR FORMATIONS

by

A. N. Sergeyeva

Akademiya Nauk SSSR Komissiya Po Fiziki
Planet Izvestiya, pp. 59-66 (1959)

Translated from the Russian

April 1968

THIS DOCUMENT HAS BEEN APPROVED FOR PUBLIC RELEASE
AND SALE; ITS DISTRIBUTION IS UNLIMITED

REDSTONE SCIENTIFIC INFORMATION CENTER
REDSTONE ARSENAL, ALABAMA

JOINTLY SUPPORTED BY

**U.S. ARMY MISSILE COMMAND****GEORGE C. MARSHALL SPACE FLIGHT CENTER**

FACILITY FORM 602

68-29672
(ACCESSION NUMBER)

(THRU)

19
(PAGES)

(CODE)

TMX-61093
(NASA CR OR TMX OR AD NUMBER)30
(CATEGORY)

26 April 1968

RSIC-797

SPECTROPHOTOMETRY OF LUNAR FORMATIONS

by

A. N. Sergeyeva

**Akademiya Nauk SSSR Komissiya Po Fiziki
Planet Izvestiya, pp. 59-66 (1959)**

Translated from the Russian

**THIS DOCUMENT HAS BEEN APPROVED FOR PUBLIC RELEASE
AND SALE; ITS DISTRIBUTION IS UNLIMITED**

**Redstone Scientific Information Center
Research and Development Directorate
U. S. Army Missile Command
Redstone Arsenal, Alabama 35809**

SPECTROPHOTOMETRY OF LUNAR FORMATIONS

by

A. N. Sergeyeva

Preliminary results of the spectrophotometry of lunar details are given. The observations were carried out with the help of a quartz spectrograph and a horizontal telescope having a spherical mirror ($f = 8$ meters).

It was found that the color contrasts are absent in most cases. Sometimes they amount to 10 to 15 percent and in rare cases reach 20 percent. The lunar cirques and mountain formations have reddish hues in comparison with the seas. The last are bluish-greenish but the Sea of Serenity and the Sea of Rains proved to be reddish.

The question of the existence of color contrasts on the lunar surface is apparently being solved positively at the present time. However, because of a small range of the coloration, its quantitative evaluations are difficult and greatly differ from each other with different authors. A review of the works pertaining to the color contrasts on the Moon is available in the works by N. P. Barabashev [1,2] and in the article by V. I. Yezerkiy and V. A. Fedorets [3]. We will list in a brief form their chief results.

In 1953, N. P. Barabashev secured at the Khar'kov Observatory a number of photographs of the Moon on a color film. On the prints, there are regions with a gamma of colors from green to reddish which make it possible to trace the most diverse hues on the surface of the Moon.

N. P. Barabashev and A. T. Chekirda made thorough observations of the colors on the Moon through four and later through five light filters — from an infrared filter to an ultraviolet filter [4]. The aim of their investigation was the determination of more exact numerical values of the coloration of lunar formations and their comparison with earlier determinations by N. P. Barabashev, G. A. Tickhov, and A. V. Markov. The luminances of all regions selected were expressed in terms of the luminance of one definite point located in the Ocean of Storms. The investigation showed that in relation to this region the craters with the ray systems, some seas, the floor of the craters, and the light ring around Tycho are reddish, whereas the mountainous regions and irregularly outlined seas are on the average greenish.

The observations of these same authors revealed a variation of the color along the light rays of the craters Tycho, Copernicus, and Kepler [5]. It turned out that the rays of Tycho are as reddish to a distance of 7.7 of its diameter as the floor of the crater. In the crater Copernicus, blue color begins to predominate almost at the distance of its diameter. The whitish color of the rays of the crater Kepler changes already at the very crater in the direction of becoming blue.

The results of processing several spectrograms obtained by V. I. Yezerskiy and V. A. Fedorets [3] also indicate the presence of perceptible color contrasts on lunar surface.

Different results were reached by L. N. Radlova [6] in a colorimetric investigation of the lunar surface. According to her observations the entire gradation of colors on the Moon is contained in the range of from 1.^m16 to 0.^m95 according to the color indices or from G₅ to G₀ according to the spectral classes of the Harvard classification.

In 1956 L. N. Radlova and V. V. Sharonov [7] investigated the threshold of color differentiation in a visual observation of the lunar surface and the maximum difference in the coloration of lunar objects. The authors found that the distinctions in the coloration for which the difference ΔC of the normal color indicators exceeds 0.^m1 are perceived by the eye at once while with a ΔC smaller than 0.^m01 they are not recognized at all. It follows from this that for a maximum distinction of color on the lunar surface the values for ΔC must be contained between the limits indicated and that they amount merely to a few hundredths of the color index. Direct measurements of the lunar objects which differed most in color confirmed this conclusion.

The spectrophotometric investigations of lunar surface started by V. G. Teyfel' [8] in 1956 with the help of the spectrograph ASP-9 on a mirror and lens telescope AZT-7 indicate that most of the objects reveal very slight color contrasts — from 1 to 8 percent. Only the separate regions on the Moon differ in color considerably more and the contrasts between them reach 15 percent and sometimes even 18 to 20 percent.

DESCRIPTION OF THE APPARATUS AND OF THE OBSERVATIONS

Work on the spectrophotometry of the Moon started at the astronomical observatory of Kiev University in 1956. Observations are conducted on a quartz spectrograph ISP-22.

The following optical arrangement is used in our apparatus. Reflecting from the coelostat mirror and an auxiliary mirror (the diameters are 30 and

35 centimeters respectively), lunar light strikes a spherical mirror having a focal distance of about 8 meters. At a distance of 6 meters from the spherical mirror the light is intercepted by a plane mirror and is directed toward the spectrograph slit where the image of the Moon with a diameter of about 8 centimeters is created. To make the setting of the detail selected in the plane of the slit easier, there is a white screen with an aperture for a beam of rays. The lunar detail selected is positioned on the slit by the micrometric motions along α and δ .

The cassette section of the spectrograph has been modified in such a manner that an ultraviolet spectrum of up to 7200 Å inclusive is accommodated on a plate measuring 9 by 12 centimeters. The dispersion amounts to 50 Å per millimeter near a $\lambda = 5000$ Å. The width of the slit is 0.75 millimeters; the length, 1 centimeter. In the center of the Moon disc the slit cuts out a section of lunar surface measuring 33 by 435 kilometers.

The photographing was done on the plates Agfa Spectral Platten Rot rapid. The exposure was 15^S. Some of the lunar objects were photographed twice with the exposures of 15^S and 30^S. Not more than five spectra were accommodated on one plate.

After photographing the spectrum, we positioned a plate isoortho in front of the slit. On this plate we photographed a direct image of the Moon with an exposure of 10 seconds. After this, without moving the plate, we obtained on it an image of the slit illuminating it from within the spectrograph. There is no need to repeat the last operation each time since the photographic plate is always positioned in front of the slit in the same manner and, therefore, the position of the slit on the plate is defined uniformly.

The photographs of the spectra were developed under standard conditions in a metol-hydroquinone developer. After the fixing, the plates were rinsed in running water and dried at the usual room temperature.

Relative spectrophotometry was used for the investigation of the hues of various lunar details. The curves of intensity distribution relating to the spectrograms which had been obtained one after another at an interval of not more than 15 to 20 minutes were compared with each other. As the experience showed, with long time intervals between the exposures the results of the comparison were distorted because of a change in the atmospheric transmission. Altogether 38 spectrograms of various lunar details suitable for processing were selected.

In Table I are given a list of these details and the dates of the observations along with an indication of the phase of the Moon. In Figure 1 a

Table I

| Order No. | Name of Lunar Detail | Observation Date | Lunar Phase |
|-----------|--|------------------|-------------|
| 1 | The crater Tycho | 9-10 Sep 57 | 1.00 |
| 2 | The Sea of Moisture | 9-10 Sep 57 | 1.00 |
| 3 | The Sea of Clouds | 9-10 Sep 57 | 1.00 |
| 4 | The crater Copernicus | 9-10 Sep 57 | 1.00 |
| 5 | The Ocean of Storms | 9-10 Sep 57 | 1.00 |
| 6 | The crater Grimaldi | 9-10 Sep 57 | 1.00 |
| 7 | The crater Aristarchus | 9-10 Sep 57 | 1.00 |
| 8 | The Sea of Rains, and the environs of the crater Maupertuis | 9-10 Sep 57 | 1.00 |
| 9 | Apennines | 9-10 Sep 57 | 1.00 |
| 10 | The Sea of Crises | 9-10 Sep 57 | 1.00 |
| 11 | The ray of the crater Tycho | 10 May 57 | 0.81 |
| 12 | The crater Walter | 10 May 57 | 0.81 |
| 13 | The crater Plato | 9-10 Sep 57 | 1.00 |
| 14 | The crater Manilius | 9-10 Sep 57 | 1.00 |
| 15 | The crater Menelaus | 6 May 57 | 0.37 |
| 16 | The crater Menelaus | 9-10 Sep 57 | 1.00 |
| 17 | The crater Proclus | 6 May 57 | 0.37 |
| 18 | The crater Langrenus | 6 May 57 | 0.37 |
| 19 | The Sea of Serenity | 20 Sep 56 | 1.00 |
| 20 | The region to the S of the Sea of Cold (between Aristoteles and Plato) | 6 May 57 | 0.37 |
| 21 | The crater Plato | 10 May 57 | 0.81 |
| 22 | The crater Menelaus | 10 May 57 | 0.81 |
| 23 | The crater Tycho | 10 May 57 | 0.81 |

photograph is given of the Moon in which the positions of the spectrograph slit are shown. The numerals at each image of the slit correspond to the order number of the lunar details in Table I.




FIGURE 1. THE POSITION OF THE SPECTROGRAPH SLIT ON THE DISC OF THE MOON. The numbering of the details corresponds to the numbering in Table I.

THE PROCESSING OF THE MATERIAL AND THE RESULTS

The photometric measurements were taken on the recording microphotometer MF-4.

The photometric processing of the spectrograms was done both with the help of a common characteristic curve and with the help of the characteristic curves constructed in 15 different wavelengths.

The spectra of the Moon measured along the dispersion (longitudinal sections) were processed with one characteristic curve. Usually several (from 3 to 8) microphotometric sections along the dark and light bands on the spectrum were made on one spectrogram.

The characteristic curves were constructed from a photograph of the spectrum of an incandescent lamp. The photograph was obtained by means of

the same spectrograph ISP-22 on the plates Rot rapid with the exposures of 15 and 30 seconds.

As it turned out, the characteristic curves constructed for different wavelengths could be reduced to one curve covering the regions of the strong and slight blackenings. The curves of intensity distribution were constructed with the help of this characteristic curve. These curves were reduced to one scale by a proportional change in the ordinates. In doing so, in the wavelength $\lambda = 6500 \text{ \AA}$ the same intensity was taken for all lunar details. Eighty curves of intensity distribution were constructed in this manner.

In comparing these curves with each other, it turned out that in most cases the color contrasts are not revealed; sometimes they amount to 10 to 15 percent and only in rare cases reach 20 percent.

The following preliminary comments may be made regarding the color contrasts of various lunar details.

The crater Walter is bluer than the crater Tycho. The raised rim of the crater Tycho is somewhat redder than its slopes and rays. The floor of the crater Plato is also redder than its slopes but coincides in color with Menelaus, Manilius, and the Sea of Serenity. In color Copernicus does not differ from the slopes of the Apennines. The center of the crater Langrenus coincides with the crater Menelaus but is redder than the neighboring Sea of Plenty. The Sea of Tranquillity and the Sea of Crises are bluer than the craters Proclus and Menelaus. The continent to the south of the Sea of Serenity is bluer than the Sea itself. Aristarchus is a little yellower than the Ocean of Storms. The crater "sea" Grimaldi and its vicinity do not differ from each other in color. The Sea of Moisture, the Sea of Clouds, and the Ocean of Storms have no perceptible color distinctions between them. The Sea of Rains coincides with the Apennines but is redder than the Ocean of Storms.

In general the observations show that the craters and mountainous formations have reddish hues in comparison with the "seas." The latter on the other hand are bluish-greenish. True, the Sea of Serenity proved to be 20 percent redder than the continent to the south of Menelaus and the Sea of Rains is reddish in comparison with the Ocean of Storms.


For a greater certainty in the results obtained, a portion of the photographic material was processed in a different manner.

The lunar spectrograms were measured photometrically not along but across the dispersion line in 15 different wavelengths shown in Table II.

Table II

| Cross Sections | λ (Å) | Cross Sections | λ (Å) | Cross Sections | λ (Å) |
|----------------|---------------|----------------|---------------|----------------|---------------|
| 1 | 6350 | 6 | 5200 | 11 | 4340 |
| 2 | 6100 | 7 | 5000 | 12 | 4200 |
| 3 | 5880 | 8 | 4800 | 13 | 4100 |
| 4 | 5700 | 9 | 4640 | 14 | 3980 |
| 5 | 5450 | 10 | 4500 | 15 | 3800 |

The conversion of the blackenings into the intensities for each cross section was done by the characteristic curve constructed for the same wavelength. The cross sections in the intensities for the crater Proclus and the ray of the crater Tycho are shown in Figures 2 and 3. Distances along the section expressed in millimeters are laid off on the x-axis and the intensities — on the y-axis.



FIGURES 2 AND 3. CROSS SECTIONS IN THE INTENSITIES FOR THE CRATER PROCLUS (A) AND THE RAY OF THE CRATER TYCHO (B)

The points 1, 2, 3, and 4 in Figure 2 correspond to different lunar details: 1 — the Sea of Tranquillity, 2 — the crater Proclus, 3 — the vicinity of the crater Proclus, 4 — the Sea of Crises. The curves pertain to the wavelengths of 5450 and 5000 Å. The distribution of intensity with the wavelength may be obtained by making use of the values of the surface luminance in all of

the 15 wavelengths. In Figure 4 is shown the distribution of intensity with the wavelength for the detail 2.

This distribution is distorted by the difference in the scale since for each wavelength the intensity was determined by its characteristic curve. The fact is that different energies correspond to a unit of intensity of each characteristic curve. However, the difference in the scales does not play an important role inasmuch as the comparison of all curves is done each time in the same wavelength.




FIGURE 4. THE DISTRIBUTION OF THE SPECTRUM INTENSITY FOR THE DETAIL 2 (THE SEA OF MOISTURE)

Similar curves are constructed for the details 1, 3, and 4.

We shall compare these curves. We shall take the detail 2 as the standard and reduce in the wavelength of 5450 Å the intensities I_i of all details to the intensity I_2 . For this purpose we shall find the coefficient

$$k_i = \left(\frac{I_2}{I_i} \right)_{\lambda = 5450 \text{ Å}}.$$

Multiplying I_{λ_i} by k_i where I_{λ_i} is monochromatic intensity of the i^{th} lunar detail we shall reduce all curves of the surface luminance to the curve pertaining to the detail 2.

Then we calculate the relative differences by the formula:

$$I_{\lambda_i}^* \text{ percent} = \frac{k_i I_{\lambda_i} - I_{\lambda_2}}{I_{\lambda_2}} \cdot 100.$$

These differences are represented graphically in Figure 5 in which the wavelengths are laid off on the x-axis, and on the y-axis — the relative differences expressed in percent of the intensity of the detail 2.




FIGURE 5. RELATIVE SPECTRUM DISTRIBUTION FOR THE DETAILS 1 (TYCHO), 1 (COPERNICUS), AND 3 (THE SEA OF CLOUDS)

In the case under consideration it may be said that the Sea of Tranquillity (1) and the Sea of Crises (4) resemble each other in color but differ from the crater Proclus (2) in the green and blue rays. The environs of Proclus (3) do not differ in color from the crater itself.

An additional spectrogram was processed for the crater Proclus. It was photographed following the first (30-second) one with an exposure of 15^s.

The color tints obtained for both spectrograms proved to be similar with an accuracy to 5 to 7 percent.

The results of the measurements of the other spectrograms showed that the ray of Tycho (intersected across by the spectrograph slit) and its environs do not differ in color. The environs of Aristarchus reflect slightly fewer yellow rays than the crater itself. The floor of the crater Grimaldi proved to be in color the same as its environs.

The results obtained in the processing with one characteristic curve and with the curves in different wavelengths agree well with each other. In both cases it turned out that the Sea of Tranquillity and the Sea of Crises are bluer than the crater Proclus. The crater Grimaldi does not differ in color from its environs. Aristarchus proved to be 13 percent yellower than the Ocean of Storms.

A COMPARISON OF THE DATA OBTAINED WITH THE DETERMINATIONS OF OTHER AUTHORS

It should be remembered first of all that the color contrasts we obtained are relative. We may speak about the color of lunar objects only in relation to each other; therefore, their comparison with the results of other authors is difficult.

A qualitative comparison of the relative hues with the investigations by N. P. Barabashev and A. T. Chekirda [4] on the distribution of color contrasts on lunar surface leads to the results which are shown in Table III.

The comparison was not made for the other objects because of an absence of common determinations. On the whole it may be said that most of our evaluations of the color contrasts coincide with the determinations of previous investigations.

In conclusion the author expresses appreciation to N. A. Yakovkin for guidance and help in the work.

Table III

| Lunar Object | Our Determinations | | Determinations by N. P. Barabashev A. T. Chekirda |
|------------------------------------|--------------------|---|---|
| | Color | Specific Details | |
| The floor of Plato | Reddish | The environs of the crater | Reddish |
| The Sea of Serenity | Reddish | The region toward S from the Sea of Serenity | Reddish |
| The Sea of Rains | Reddish | The Ocean of Storms | Spotty structure with reddish, greenish, and rust-colored spots |
| The raised rim of the crater Tycho | Reddish | The rays of the crater Tycho and the environs | Reddish |
| The Sea of Tranquillity | Bluish | The crater Proclus | Light bluish |
| The Sea of Crises | Bluish | The crater Proclus | Greenish in the S portion, rust-colored in the N portion |
| The Sea of Moisture | Not distinguished | The Ocean of Storms | Reddish |
| The Sea of Clouds | | The Ocean of Storms | Reddish |
| The Ocean of Storms | | | Greenish |
| Aristarchus | Yellowish | The Ocean of Storms | Reddish (according to Miethe and Seegert [9]) |

BIBLIOGRAPHY

1. Barabashev, N. P., THE RESULTS OF PHOTOMETRIC INVESTIGATIONS OF THE MOON AND PLANETS AT THE ASTRONOMICAL OBSERVATORY OF KHAR'KOV STATE UNIVERSITY (Rezul'taty Fotometricheskikh Issledovaniy Luny i Planet na Astronomicheskoy Observatorii KhGU), KhGU Press, Khar'kov, 1957.
2. Barabashev, N. P., KHAR'KOV ASTRONOMICAL OBSERVATORY CIRCULAR (Tsirkulyar KhAO) No. 12, 1953.
3. Yezerskiy, V. I., and Fedorets, V. A., TSIRKULYAR KhAO, No. 15, 1956.
4. Barabashev, N. P., and Chekirda, A. T., WORKS OF KHAR'KOV STATE UNIVERSITY (Trudy KhGU), Vol. 11, 1954
5. Barabashev, N. P., and Chekirda, A. T., TSIRKULYAR KhAO, No. 13, 1955.
6. Radlova, L. N., SCIENTIFIC NOTES OF LENINGRAD STATE UNIVERSITY, MATHEMATICS SERIES (Uch. Zap. LGU. Seriya Matem.), Issue II, No. 82, 1941.
7. Radlova, L. N., and Sharonov, V. V., ASTRONOMICAL JOURNAL (Astr. Zhurn.), Vol. 25, No. 5, 1958.
8. Teyfel', V. T., ASTRONOMICAL CIRCULAR (Astr. Tsirkulyar), No. 179, 1957.
9. Miethe, A., and Seegert, B., A. N. 188, pp. 9-12, 239-246, 371-374, 1911.

DISTRIBUTION

| | No. of Copies | | No. of Copies |
|---|---------------|---|---------------|
| <u>EXTERNAL</u> | | U. S. Atomic Energy Commission | 1 |
| Air University Library | 1 | ATTN: Reports Library, Room G-017 | |
| ATTN: AUL3T | | Washington, D. C. 20545 | |
| Maxwell Air Force Base, Alabama 36112 | | U. S. Naval Research Laboratory | 1 |
| U. S. Army Electronics Proving Ground | 1 | ATTN: Code 2027 | |
| ATTN: Technical Library | | Washington, D. C. 20390 | |
| Fort Huachuca, Arizona 85613 | | Weapons Systems Evaluation Group | 1 |
| Naval Weapons Center | 1 | Washington, D. C. 20305 | |
| ATTN: Technical Library, Code 753 | | John F. Kennedy Space Center, NASA | 2 |
| China Lake, California 93555 | | ATTN: KSC Library, Documents Section | |
| Naval Weapons Center, Corona Laboratories | 1 | Kennedy Space Center, Florida 32899 | |
| ATTN: Documents Librarian | | APGC (PGBPS-12) | 1 |
| Corona, California 91720 | | Eglin Air Force Base, Florida 32542 | |
| Lawrence Radiation Laboratory | 1 | U. S. Army CDC Infantry Agency | 1 |
| ATTN: Technical Information Division | | Fort Benning, Georgia 31905 | |
| P. O. Box 808 | | Argonne National Laboratory | 1 |
| Livermore, California 94550 | | ATTN: Report Section | |
| Sandia Corporation | 1 | 9700 South Cass Avenue | |
| ATTN: Technical Library | | Argonne, Illinois 60440 | |
| P. O. Box 969 | | U. S. Army Weapons Command | 1 |
| Livermore, California 94551 | | ATTN: AMSWE-RDR | |
| U. S. Naval Postgraduate School | 1 | Rock Island, Illinois 61201 | |
| ATTN: Library | | Rock Island Arsenal | 1 |
| Monterey, California 93940 | | ATTN: SWERI-RDI | |
| Electronic Warfare Laboratory, USAECOM | 1 | Rock Island, Illinois 61201 | |
| Post Office Box 205 | | U. S. Army Cmd. & General Staff College | 1 |
| Mountain View, California 94042 | | ATTN: Acquisitions, Library Division | |
| Jet Propulsion Laboratory | 2 | Fort Leavenworth, Kansas 66027 | |
| ATTN: Library (TDS) | | Combined Arms Group, USACDC | 1 |
| 4800 Oak Grove Drive | | ATTN: Op. Res., P and P Div. | |
| Pasadena, California 91103 | | Fort Leavenworth, Kansas 66027 | |
| U. S. Naval Missile Center | 1 | U. S. Army CDC Armor Agency | 1 |
| ATTN: Technical Library, Code N3022 | | Fort Knox, Kentucky 40121 | |
| Point Mugu, California 93041 | | Michoud Assembly Facility, NASA | 1 |
| U. S. Army Air Defense Command | 1 | ATTN: Library, I-MICH-OSD | |
| ATTN: ADSX | | P. O. Box 29300 | |
| Ent Air Force Base, Colorado 80912 | | New Orleans, Louisiana 70129 | |
| Central Intelligence Agency | 4 | Aberdeen Proving Ground | 1 |
| ATTN: OCR/DD-Standard Distribution | | ATTN: Technical Library, Bldg. 313 | |
| Washington, D. C. 20505 | | Aberdeen Proving Ground, Maryland 21005 | |
| Harry Diamond Laboratories | 1 | NASA Sci. & Tech. Information Facility | 5 |
| ATTN: Library | | ATTN: Acquisitions Branch (S-AK/DL) | |
| Washington, D. C. 20438 | | P. O. Box 33 | |
| Scientific & Tech. Information Div., NASA | 1 | College Park, Maryland 20740 | |
| ATTN: ATS | | U. S. Army Edgewood Arsenal | 1 |
| Washington, D. C. 20546 | | ATTN: Librarian, Tech. Info. Div. | |
| | | Edgewood Arsenal, Maryland 21010 | |

| | No. of Copies | | No. of Copies |
|---|---------------|--|---------------|
| National Security Agency ATTN: C3/TDL Fort Meade, Maryland 20755 | 1 | Brookhaven National Laboratory Technical Information Division ATTN: Classified Documents Group Upton, Long Island, New York 11973 | 1 |
| Goddard Space Flight Center, NASA ATTN: Library, Documents Section Greenbelt, Maryland 20771 | 1 | Watervliet Arsenal ATTN: SWLWV-RD Watervliet, New York 12189 | 1 |
| U. S. Naval Propellant Plant ATTN: Technical Library Indian Head, Maryland 20640 | 1 | U. S. Army Research Office (ARO-D) ATTN: CRD-AA-IP Box CM, Duke Station Durham, North Carolina 27706 | 1 |
| U. S. Naval Ordnance Laboratory ATTN: Librarian, Eva Liberman Silver Spring, Maryland 20910 | 1 | Lewis Research Center, NASA ATTN: Library 21000 Brookpark Road Cleveland, Ohio 44135 | 1 |
| Air Force Cambridge Research Labs. L. G. Hanscom Field ATTN: CRMCLR/Stop 29 Bedford, Massachusetts 01730 | 1 | Foreign Technology Division ATTN: Library Wright-Patterson Air Force Base, Ohio 45400 | 1 |
| U. S. Army Tank Automotive Center ATTN: SMOJA-RIS.1 Warren, Michigan 48090 | 1 | U. S. Army Artillery & Missile School ATTN: Guided Missile Department Fort Sill, Oklahoma 73503 | 1 |
| U. S. Army Materials Research Agency ATTN: AMXMR-ATL Watertown, Massachusetts 02172 | 1 | U. S. Army CDC Artillery Agency ATTN: Library Fort Sill, Oklahoma 73504 | 1 |
| Strategic Air Command (OAI) Offutt Air Force Base, Nebraska 68113 | 1 | U. S. Army War College ATTN: Library Carlisle Barracks, Pennsylvania 17013 | 1 |
| Picatinny Arsenal, USAMUCOM ATTN: SMUPA-VA6 Dover, New Jersey 07801 | 1 | U. S. Naval Air Development Center ATTN: Technical Library Johnsville, Warminster, Pennsylvania 18974 | 1 |
| U. S. Army Electronics Command ATTN: ANSEL-CB Fort Monmouth, New Jersey 07703 | 1 | Frankford Arsenal ATTN: C-2500-Library Philadelphia, Pennsylvania 19137 | 1 |
| Sandia Corporation ATTN: Technical Library P. O. Box 5800 Albuquerque, New Mexico 87115 | 1 | Div. of Technical Information Ext., USAEC P. O. Box 62 Oak Ridge, Tennessee 37830 | 1 |
| ORA(RRRT) Holloman Air Force Base, New Mexico 88330 | 1 | Oak Ridge National Laboratory ATTN: Central Files P. O. Box X Oak Ridge, Tennessee 37830 | 1 |
| Los Alamos Scientific Laboratory ATTN: Report Library P. O. Box 1663 Los Alamos, New Mexico 87544 | 1 | Air Defense Agency, USACDC ATTN: Library Fort Bliss, Texas 79916 | 1 |
| White Sands Missile Range ATTN: Technical Library White Sands, New Mexico 88002 | 1 | U. S. Army Air Defense School ATTN: AKBAAS-DR-R Fort Bliss, Texas 79906 | 1 |
| Rome Air Development Center (EMLAL-1) ATTN: Documents Library Griffiss Air Force Base, New York 13440 | 1 | | |

| | No. of Copies | | No. of Copies |
|---|---------------|--|---------------|
| U. S. Army Combat Developments Command Institute of Nuclear Studies Fort Bliss, Texas 79916 | 1 | <u>INTERNAL</u> | |
| Manned Spacecraft Center, NASA ATTN: Technical Library, Code BM6 Houston, Texas 77058 | 1 | Headquarters U. S. Army Missile Command Redstone Arsenal, Alabama ATTN: AMSMI-D | 1 |
| Defense Documentation Center Cameron Station Alexandria, Virginia 22314 | 20 | AMSMI-XE, Mr. Lowers | 1 |
| | | AMSMI-Y | 1 |
| | | AMSMI-R, Mr. McDaniel | 1 |
| | | AMSMI-RAP | 1 |
| U. S. Army Research Office ATTN: STINFO Division 3045 Columbia Pike Arlington, Virginia 22204, | 1 | AMSMI-RBLD | 10 |
| | | USACDC-LnO | 1 |
| | | AMSMI-RB, Mr. Croxton | 1 |
| | | AMSMI-RBT | 8 |
| U. S. Naval Weapons Laboratory ATTN: Technical Library Dahlgren, Virginia 22448 | 1 | National Aeronautics & Space Administration Marshall Space Flight Center ATTN: MS-T, Mr. Wiggins | 5 |
| | | Marshall Space Flt. Ctr., Alabama 35812 | |
| U. S. Army Engineer Res. & Dev. Labs. ATTN: Scientific & Technical Info. Br. Fort Belvoir, Virginia 22060 | 2 | | |
| Langley Research Center, NASA ATTN: Library, MS-185 Hampton, Virginia 23365 | 1 | | |
| Research Analysis Corporation ATTN: Library McLean, Virginia 22101 | 1 | | |
| Foreign Science & Technology Center Munitions Building Washington, D.C. 20315 | 3 | | |
| National Aeronautics & Space Administration Code USS-T (Translation Section) Washington, D. C. 20546 | 2 | | |

UNCLASSIFIED

Security Classification

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

| | | | |
|--|---|--|--|
| 1. ORIGINATING ACTIVITY (Corporate author) Redstone Scientific Information Center Research and Development Directorate U. S. Army Missile Command Redstone Arsenal, Alabama 35809 | | 2a. REPORT SECURITY CLASSIFICATION Unclassified | |
| 3. REPORT TITLE SPECTROPHOTOMETRY OF LUNAR FORMATIONS Akademiya Nauk SSSR Komissiya Po Fiziki Planet Izvestiya, pp. 59-66 (1959) | | 2b. GROUP N/A | |
| 4. DESCRIPTIVE NOTES (Type of report and inclusive dates) Translated from the Russian | | | |
| 5. AUTHOR(S) (First name, middle initial, last name) A. N. Sergeyeva | | | |
| 6. REPORT DATE 26 April 1968 | 7a. TOTAL NO. OF PAGES 18 | 7b. NO. OF REFS 9 | |
| 8a. CONTRACT OR GRANT NO. N/A | 9a. ORIGINATOR'S REPORT NUMBER(S) RSIC-797 | | |
| b. PROJECT NO. N/A | 9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report) AD | | |
| c. | | | |
| d. | | | |
| 10. DISTRIBUTION STATEMENT This document has been approved for public release and sale; its distribution is unlimited. | | | |
| 11. SUPPLEMENTARY NOTES None | | 12. SPONSORING MILITARY ACTIVITY Same as No. 1 | |
| 13. ABSTRACT Preliminary results of the spectrophotometry of lunar details are given. The observations were carried out with the help of a quartz spectrograph and a horizontal telescope having a spherical mirror (f = 8 meters). It was found that the color contrasts are absent in most cases. Sometimes they amount to 10 to 15 percent and in rare cases reach 20 percent. The lunar cirques and mountain formations have reddish hues in comparison with the seas. The last are bluish-greenish but the Sea of Serenity and the Sea of Rains proved to be reddish. | | | |

DD FORM 1473

REPLACES DD FORM 1473, 1 JAN 64, WHICH IS OBSOLETE FOR ARMY USE.

UNCLASSIFIED

Security Classification

17

UNCLASSIFIED

Security Classification

| 14. | KEY WORDS | LINK A | | LINK B | | LINK C | |
|-----|---|--------|----|--------|----|--------|----|
| | | ROLE | WT | ROLE | WT | ROLE | WT |
| | Color contrasts Lunar surface Light rays Quartz spectograph Microphotometer | | | | | | |

UNCLASSIFIED

Security Classification